

Chandler, Arizona PHONE (800) 380-0103

S4D4X12

SERIAL NUMBER

25153

TO OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION RULES AND

	REFERENC	E TO OCCUPATIONAL SAF REGULATIONS, 29 CFR	ETY AND HEALTH ADM R, NO 209, PART 1926, S	INISTRATION RULES AND BUBPART P	
SHIELD SIZE		PSF RATING	MAXIMUM ALLOWABLE DEPTH OF CUT (FEET) D SOIL TYPE TO BE EXCAVATED		
		·			
HEIGHT (FEET)	LENGTH (FEET)	MAXIMUM LATERAL EARTH PRESSURE CAPACITY ATTRENCH BOTTOM IN POUNDS PER SQUARE FOOT	TYPE A STIFF, COHESIVE SOIL. 25 PSF PER FOOT OF DEPTH.	TYPE B MEDIUM COHESIVE TO GRANULAR SOIL, 45 PSF PER FOOT OF DEPTH.	TYPE C SOFT COHESIVE TO SUBMERGED SOIL, 60 PSF PER FOOT OF DEPTH.
4	12	2760	110	61	4 6
LIMITATIONS IN USE OF TABLE 1. TRENCH SHIELD TO BE ASSEMBLED AND INSTALLED AS SHOWN AND IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS. 2. EXCAVATION 2 FEET BELOW BOTTOM OF SHIELD IS PERMITTED WHEN NO LOSS OF SOIL FROM BEHIND OR BELOW THE BOTTOM OF SHIELD IS ENCOUNTERED. SEE PARAGRAPH 1926.652 (e)(2)(1).			DESCRIPTION Clay, silty clay, sandy clay, clay loam, unconfined compressive strength of 1.5 tons per square foot or greater, (see note 8 on reverse side)	DESCRIPTION Clay with unconfined compressive strength greater than .5 TSF but less than 1.5 TSF, cohesionless gravel, silt, silt loam or sandy loam, (see note 9 on reverse side)	DESCRIPTION Clay with unconfined compressive strength less than .5 TSF submerged sand, clay of fractured rock that is no stable. (see note 10 on reverse side)
THE COMPETENT PERSON SHALL MAKE THE DETERMINATION FOR COMPLIANCE. SUDDEN SHIFTING OF THE SHIELD VERTICALLY SHALL BE AVOIDED. 3. CONSULT MANUFACTURER WHEN RESTRICTION ON NOTE 2 IS NOT MET.			LAYBACK AND XXXX SLOPE ATAMINIMUM		
4. ADDITIONAL SHIELDS MAY BE STACKED WITH NO PENALTY IN DEPTH OF CUT AS LONG AS THE RATING OF THE BOTTOM SHIELD IS NOT EXCEEDED.			OF .75 TO 1 FORA-SOILS, 1 TO 1 FOR B- SOILS, OR 1.5 TO 1 FOR C-SOILS		
DEPTHS OF CUTS SHOWN ARE BASED ON EXAMPLES OF VARIOUS SOIL CONDITIONS. VERIFY ACTUAL SOIL PRESSURES PRIOR TO EACH USE. ANY MODIFICATIONS OR ALTERATIONS NOT			A-SOUS	1 75	NOTE
6. ANY MODIFICATIONS OF ALICIATIONS NOT					+



ALLOWED UNLESS APPROVED IN WRITING BY

7. CONTRACTOR'S COMPETENT/QUALIFIED PERSON SHALL BE RESPONSIBLE FOR MONITORING SOIL CONDITIONS.

CONTINUED ON REVERSE SIDE

EFFICIENCY PRODUCTION, INC.

CERTIFIED BY:

EFFICIENCY PRODUCTION, INC. MAY 17, 2005

COPYRIGHT:

1991 EFFICIENCY PRODUCTION, INC. ALL RIGHTS RESERVED

MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENT NUMBERS; 4,090,365-4,114,383-4,259,028 ONE OR MORE OF THE FOLLOWING CANADIAN PATENT NUMBERS: 1,062,683-1,062,684

USE THIS PRODUCT ONLY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, OR LOCAL LAWS

B-SOILS

(1 TO 1 SLOPE)

C-SOILS (1.5 TO 1 SLOPE)